

Technical Datasheet



R&M 19" 1U 24-Port Patch Panel

19" 1U 24-Port Patch Panel

R&M's 19" 1U patch panels with 24 ports are perfect for smaller high-density applications. The patch panel is available in a completely equipped shielded or unshielded version. Thanks to a special adapter unit it accommodates the widely used, well-proven RJ45 connection module from R&M.



Features

- Individual termination of each module
- Mechanical locking of the snap-in adapter by means of the coding clip
- Color coding through snap-in coding clip with 8 colors to choose from
- Integrated cable tie shelf
- Direct earthing concept via metal patch panel
- Protective conductor terminal for grounding optionally available
- Labeling window plus exchangeable labeling strips
- A4 labeling sheet allows individual labeling

Technical Data

- Overall dimensions: 19", 1U
- Patch panel: sheet steel, galvanized and blue passivated
- Earth clamp: tin-coated copper plate
- Snap-in adapter material: polycarbonate
- Front screen material: ABS
- Front screen color: median gray/NCS 2502-B
- Snap-in adapter basic color: gray/RAL 7035
- Coding clip material: polypropylene
- Coding clip basic color: gray/ RAL 7035
- Halogenated: no (in accordance with DIN/VDE 0472/815)
- Fire classification snap-in adapter: UL94V-0
- Fire classification front screen: UL94HB
- Fire classification coding clip: UL94HB

Drawings



Snap-in Coding Clip

The snap-in coding clip is offered in eight different colors for color coding purposes.

| Part Number | Color | RAL Number |
|-------------|-----------------|------------|
| 302156 | Violet | RAL 4008 |
| 302153 | Brown | RAL 8003 |
| 302158 | Yellow | RAL 1018 |
| 302157 | White | RAL 9010 |
| 302151 | Anthracite gray | RAL 7016 |
| 302152 | Blue | RAL 5017 |
| 302154 | Green | RAL 6029 |
| 302155 | Red | RAL 3001 |